CONTENTS - VOLUME VII, 1987

No. 1

The relationship between serum enalaprilat concentration and the hypotensive effect in man
AJAYI A.A., HOCKINGS N., REID J.L. 1

Serum trace-element levels in piretanide-treated hypertensives: a double-blind trial against hydrochlorothiazide plus amiloride
VERHO M., BOSSALLER W., HEINEN B. 5

Life quality in patients under hypotensive treatment
PUPITA F., ANSUINI R., BELOGI M., CAMPOLUCCI G., GAGGI S., PUPITA G. 13

Dose-dependent shortening of systolic time intervals after intake of pengitoxin
HAUSTEIN K.-O., HENTSCHEL H. 19

The excretion of renal enzymes during rest and exercise: a double-blind comparison between placebo and penbutolol
VERHO M., FÄRBER G., HEINEN B., GRÖTSCH H. 27

Digitoxin elimination in healthy subjects taking ampicillin
LUCENA M.I., MORENO A., FERNANDEZ M.C., GARCIA-MORILLAS M., ANDRADE R. 33

In vitro activity of imipenem against gram-positive anaerobic bacteria
DUBREUIL L., DEVOS J., ROMOND C. 39

Serum bactericidal activity against *Klebsiella pneumoniae* in volunteers receiving increasing doses of tobramycin with or without cefamandole
PASCUAL-LOPEZ A., LAGAST H., KLASTERSKY J. 45

Study on pulmonary, prostatic and renal (medulla and cortex) distribution of sagamicin at different time intervals
FRASCHINI F., BRAGA P.C., SCAGLIONE F., ZANOLLO A., POLITI P., ODERO R., TRAZZI R. 51

Pharmacokinetics of mecillinam after a single intravenous dose in patients with impaired renal function
MOUKHTAR I., NAWISHY S., SABBOUR M. 59

Ciprofloxacin: multiple-dose pharmacokinetic and clinical results in patients with hypercrinic bronchopulmonary diseases
FRASCHINI F., BRAGA P.C., COSENTINA R., SALVINI P., CORTELAZZI R., SCARPAZZA G., SCAGLIONE F., TRAZZI R., ODERO A. 63

Cefotaxime therapy of lower respiratory tract infections in intensive-care patients
RONDANELLI R., DIONIGI R.V., CALVI M., DELL'ANTONIO M., CORSICO G., MAPELLI A. 73

Efficacy and tolerance of fenticonazole versus miconazole cream
CLERICO R., RIBUFFO A. 77

Influence of thymopentin on postsurgical immune deficiency: a clinical pilot study
FAIST E., RIEDEL A., BOLLA K. 83

No. 2

Anticholinergic pharmacological studies of the lower oesophageal sphincter: importance of the technique of pressure recording.
NDJITOYAP C., LEREBOURS E., WEBER J., GALMICHE J.P., DENIS PH. 89

CONTENTS - VOLUME VII, 1987

No. 1

The relationship between serum enalaprilat concentration and the hypotensive effect in man
AJAYI A.A., HOCKINGS N., REID J.L. 1

Serum trace-element levels in piretanide-treated hypertensives: a double-blind trial against hydrochlorothiazide plus amiloride
VERHO M., BOSSALLER W., HEINEN B. 5

Life quality in patients under hypotensive treatment
PUPITA F., ANSUINI R., BELOGI M., CAMPOLUCCI G., GAGGI S., PUPITA G. 13

Dose-dependent shortening of systolic time intervals after intake of pengitoxin
HAUSTEIN K.-O., HENTSCHEL H. 19

The excretion of renal enzymes during rest and exercise: a double-blind comparison between placebo and penbutolol
VERHO M., FÄRBER G., HEINEN B., GRÖTSCH H. 27

Digitoxin elimination in healthy subjects taking ampicillin
LUCENA M.I., MORENO A., FERNANDEZ M.C., GARCIA-MORILLAS M., ANDRADE R. 33

In vitro activity of imipenem against gram-positive anaerobic bacteria
DUBREUIL L., DEVOS J., ROMOND C. 39

Serum bactericidal activity against *Klebsiella pneumoniae* in volunteers receiving increasing doses of tobramycin with or without cefamandole
PASCUAL-LOPEZ A., LAGAST H., KLASTERSKY J. 45

Study on pulmonary, prostatic and renal (medulla and cortex) distribution of sagamicin at different time intervals
FRASCHINI F., BRAGA P.C., SCAGLIONE F., ZANOLLO A., POLITI P., ODERO R., TRAZZI R. 51

Pharmacokinetics of mecillinam after a single intravenous dose in patients with impaired renal function
MOUKHTAR I., NAWISHY S., SABBOUR M. 59

Ciprofloxacin: multiple-dose pharmacokinetic and clinical results in patients with hypercrinic bronchopulmonary diseases
FRASCHINI F., BRAGA P.C., COSENTINA R., SALVINI P., CORTELAZZI R., SCARPAZZA G., SCAGLIONE F., TRAZZI R., ODERO A. 63

Cefotaxime therapy of lower respiratory tract infections in intensive-care patients
RONDANELLI R., DIONIGI R.V., CALVI M., DELL'ANTONIO M., CORSICO G., MAPELLI A. 73

Efficacy and tolerance of fenticonazole versus miconazole cream
CLERICO R., RIBUFFO A. 77

Influence of thymopentin on postsurgical immune deficiency: a clinical pilot study
FAIST E., RIEDEL A., BOLLA K. 83

No. 2

Anticholinergic pharmacological studies of the lower oesophageal sphincter: importance of the technique of pressure recording.
NDJITOYAP C., LEREBOURS E., WEBER J., GALMICHE J.P., DENIS PH. 89

Evaluation of esaprazole activity on basal gastric secretion and on pentagastrin-stimulated secretion in healthy volunteers.
EREMBOURG L., REGGIANI P., TOSI G.P., FERLA G., BEINAT L. 95

Protective effect of sulglycotide on human gastric mucosa exposed to taurocholic acid.
CORINALDESI R., ZURITA J., CENEDESE A., STANGHELLINI V., CAVALLI G., PAPARO G., BARBARA L. 101

Study of delta sleep-inducing peptide efficacy in improving sleep on short-term administration to chronic insomniacs.
MONTI J.M., DEBELLIS J., ALTERWAIN P., PELLEJERO T., MONTI D. 105

Serotonin S_2 receptors blockade and generalized anxiety disorders. A double-blind study on ritanserin and lorazepam.
BRESSA G.M., MARINI S., GREGORI S. 111

Pharmacokinetics of single and multiple ascending doses of the antiallergic agent tiacrilast in man.
MASSARELLA J.W., SILVESTRI T.M., KEIGHER N., PAO J., DUNTON A. 121

Some aspects of "Deep Lung" cellular immunity in chronic bronchitis before and after therapy with tiopronin.
FRASCHINI F., SCAGLIONE F., COPPI G., PIAZZA G., MARCHI E., MONTOLI C.C., SCARPAZZA G. 129

Haemodynamic and endocrine effects of digitoxin in healthy volunteers.
LUCENA M.I., MORENO A., GARCIA DEL RIO C., BOLAÑOS M.J., ANDRADE R. 135

Clomipramine compared with pentazocine as a unique treatment in postoperative pain.
TIENGO M., PAGNONI B., CALMI A., CALZA' L., RIGOLI M., BRAGA P., PANERAI A.E. 141

Imipramine receptors in human platelets: effect of age.
MARAZZITI D., GIUSTI P., ROTONDO A., PLACIDI G.F., PACIFICI G.M. 145

Normal and slow-release formulations of bezafibrate: a comparative pharmacokinetic study in man.
GANDINI R., ASSERETO R., CASTOLDI D., CUNIETTI E., GARANZELLI P., MONZANI W. 149

Prevention and early diagnosis of cancer in the rectal stump of ulcerative colitis patients after colectomy and topical treatment.
TRABUCCHI E., BARATTI C., CENTEMERO A., RIZZITELLI E., COLOMBO R., SIARDI C., MARISCOTTI C., FERLA G., MONTORSI W. 157

Primidone-carbamazepine interaction: clinical consequences.
BENETELLO P., FURLANUT M. 165

Adverse drug reactions in paediatric outpatients.
SANZ E., BOADA J. 169

No. 3

Comparative pharmacokinetic parameters of new systemic fluoroquinolones.
NEUMAN M. 173

Ciprofloxacin concentrations in human fluids and tissues following a single oral dose.
ESPOSITO S., GALANTE D., BARBA D., D'ERRICO G., MAZZONE A., MONTANARO S. 181

Oral ciprofloxacin in refractory Gram-negative bacillary infections.
BRYANT R.E., HARTSTEIN A.I. 187

Efficacy and safety of ofloxacin in elderly patients.
BRUCH K., BLOMER R. 195

A comparative study of ofloxacin versus cefazolin in lower respiratory tract infections.
BARIFFI F., GIACOMELLI P., SANDUZZI A., PERNA F., DE MASI A.L. 199

In vitro activity of aztreonam, cefuroxime and ceftazidime against Gram-negative rods isolated from hospital patients with urinary tract infection.
WEBB G., ROBBINS M.J., O'HARE M.D., FELMINGHAM D., RIDGWAY G.L., GRÜNEBERG R.N. 203

Teicoplanin in the therapy of staphylococcal neuroshunt infections.
MASERATI R., CRUCIANI M., AZZINI M., CARNEVALE C., SUTER F., CONCIA E. 207

Cefoperazone therapy of bacterial meningitits: a preliminary report.
CRISTIANO P., PEMPINELLO R., LEONESSA V., RESCIGNO C., IANNECE M.D., COPPOLA L. 215

Effectiveness of imipenem in the treatment of chronic post-traumatic osteitis.
KETTERL R., STÜBINGER B., BECKURTS T., CLAUDI B. 219

Penetration of cefonicid in skin suction blister fluid in healthy volunteers.
CRUCIANI M., CONCIA E., PASSARELLA E., SONCINI R. 225

Cefotetan in the treatment of serious intra-abdominal sepsis: a controlled clinical trial.
SCOTT S.D., KARRAN S.J. 229

Therapeutic experience with ticarcillin disodium plus potassium clavulanate in the Federal Republic of Germany – results of a multicentre-study.
HEILMANN H.-D. 233

No. 4

Comparative bioavailability of two enteric-coated tablet preparations of diclofenac sodium.
PATON D.M. 239

Flunoxaprofen pharmacokinetics in elderly subjects.
SEGRE G., BIANCHI E., MASCARETTI L., QUAGLIA G., FORGIONE A. 243

A comparison of a sustained release preparation of tiaprofenic acid with the conventional tablet formulation and a placebo in rheumatoid arthritis.
ESSIGMAN W., LAMBERT J., SHELDON P., SWEETMAN B.J., WOJTULEWSKI J. 251

Effects of suprofen on renal function in patients with rheumatoid arthritis.
MALANDRINO S., ANGELINI M., BALDINI L., BARENGHI L., BORSA M., CARRABBA M., CERIOTTI F., TONON G.C. 259

Determination of ketoprofen by high-performance liquid chromatography from serum and urine: clinical application in children with juvenile rheumatoid arthritis.
LEMPIÄINEN M., MÄKELÄ A.-L. 265

Changes in alveolar macrophage enzyme content and activity in smokers and patients with chronic obstructive lung disease.
TERPSTRA G.K., DE WEGER R.A., WASSINK G.A., KREUKNIET J., HUIDEKOPER H.J. 273

Evaluation of efficacy and tolerability of K-FA fluocinolone acetonide tape.
CATTANEO M., BETTI R., LODI A., BERETTA A. 279

Oral prostaglandin E_1 as a therapeutic modality for leg ulcers in Behçet's disease.
TAKEUCHI A., HASHIMOTO T. 283

Efficacy of O-(β-hydroxyethyl)-rutosides at high dosage in counteracting the unwanted activity of oral contraceptives on venous function.
CAPPELLI R., PECCHI S., OBERHAUSER V., FORCONI S., DI PERRI T. 291

Effect of cianidanol on natural killer cell activity in patients with chronic B virus hepatitis.
PÁR A., SZEKERES-BARTHO J., PÁCSA S., JÁVOR T. 301

Echocardiographic assessment of anthracycline cardiotoxicity during different therapeutic regimens.
DE LEONARDIS V., DE SCALZI M., NERI B., BARTALUCCI S., CINELLI P. 307

Multimodality treatment with surgery in small-cell lung cancer.
KARRER K., DENCK H. 313

No. 5

Comparative pharmacokinetic analysis of theophylline in serum and saliva.
TRNAVSKÁ Z., REJHOLEC V., ELIS J., ŠPIČÁK V. 329

Evaluation of the effectiveness and safety of a controlled-release theophylline in patients with reversible and stable bronchial obstruction.
GRASSI V., NICORA M., BERETTA A. 337

A new sustained-release theophylline suspension for asthmatic children: evaluation of serum theophylline concentrations.
BONER A.L., VALLONE G., VALLETTA E., BERNOCCHI D., PLEBANI M. 345

Serum theophylline concentrations and pulmonary function tests after administration of two sustained-release formulations containing theophylline in patients affected by chronic obstructive lung disease.
FONTANA G., CRESCI F., LO SAPIO P., PANUCCIO P. 351

Changes in the broncho-alveolar lavage fluid in smokers and patients with chronic obstructive lung disease.
TERPSTRA G.K., WASSINK G.A., HUIDEKOPER H.J. 357

Procaterol metered aerosol in patients with chronic obstructive pulmonary disease.
BARONTI A., LELLI M., MANINI G., VERDIANI P. 363

Effect of verapamil on pulmonary function changes induced by fluid overloading in normal subjects.
BALDI S., SCAPPATICCI E., CONI F., BUCCA C., ROLLA G. 369

Amiodarone lung toxicity: role of pulmonary function tests.
FORESTI V., CARINI L., LOVAGNINI-SCHER C.A., PARISIO E., SCOLARI N., POZZI G., CLINI V. 373

Review on sobrerol as a muco-modifying drug: experimental data and clinical findings in hypersecretory bronchopulmonary diseases.
BRAGA P.C., ALLEGRA L., BOSSI R., SCURI R., CASTIGLIONI C.L., ROMANDINI S. 381

Double-blind study on antitissue immunoglobulin injections versus placebo in the treatment of acute lumbar pain with muscular spasma.
GINSBERG F., MINGARD P., WEBER T. 401

Short-term sleep laboratory studies with cinolazepam in situational insomnia induced by traffic noise.
SALETU B., KINDSHOFER G., ANDERER P. GRÜNBERGER J. 407

Pharmacokinetic study of intravenous and oral idarubicin in cancer patients.
TAMASSIA V., PACCIARINI M.A., MORO E., PIAZZA E., VAGO G., LIBRETTI A. 419

Simultaneous radiotherapy and chemotherapy in the treatment of brain metastases of malignant solid tumours.
LANGE O.F., SCHLECHTINGEN J., HAASE K.-D. SCHEEF W. 427

No. 6

Lack of effect of piretanide (a potassium-stable diuretic) on serum magnesium.
VERHO M., IRMISCH R., de LOOZE S., RANGOONWALA B. 433

Antihypertensive properties of tiapamil (RO 11–1781) —— a new calcium antagonist —— in patients with mild and moderate essential hypertension.
VELASCO M., MORILLO J., URBINA A., KÖGLER P., LEISHMAN B., PASQUIER M., HERNÁNDEZ-PIERETTI O. 443

Clinical trial with muzolimine in healthy and hypertensive subjects: New vistas on the drug action.
BERNARDI P., BASTAGLI L., CAVAZZA M., MINELLI C., VENTURA C., FONTANA F., DANIELI A., BARTOLINI G., TOMMASI V., ORLANDI M. 455

Blood pressure during a combination of ketanserin and hydrochlorothiazide.
FERRARA L.A., FASANO M.L., SORO S., FARINARO E., CELENTANO E., MANCINI M. 463

Kinetics of piretanide tablets, penbutolol tablets and the fixed combination of both drugs in healthy male subjects after a single oral dose.
MÜLLER F., MEYER B., GRIGOLEIT H-G. 469

Comparison of the effect of aminoglycosides on excretion of N-acetyl-β-glucosaminidase.
FUJITA K., MURAYAMA T., KAWAMURA M., NARITA K. 477

Cefonicid concentration in lung tissue after intramuscular administration.
CRUCIANI M., SAVIO S., CONCIA E. 481

Teicoplanin in patients with chronic renal failure on dialysis: microbiological and pharmacokinetic aspects.
NEVILLE L.O., BAILLOD R., GRADY D., BRUMFITT W., HAMILTON-MILLER J.M.T. 485

Teicoplanin for therapy of Gram-positive infections in neutropenic patients.
VERHAGEN C., DE PAUW B.E. 491

Distribution of ceftriaxone in the tissues of the female genital system.
FRASCHINI F., ZONCADA F., SCAGLIONE F., RADAELLI U., MIRAGLIA M., VALMAGGI P., FALCHI M., RIPAMONTI L. 499

Clinical experience with fenticonazole 2% formulation in the treatment of dermatomycoses and pityriasis versicolor.
ASTE N., PAU M., ZUCCA M., BIGGIO P. 503

Taste threshold determinations on dyspeptic patients and on blind controls.
TERNER K., NAGY L., JÁVOR T. 507

Differentiated dosage of microporous colestyramine and its double-blind comparison with a placebo in hypercholesterolaemic patients.
DI PERRI T., FRANCHI M., BRUNO M. 513

Contents index (1987). 519

Author index (1987). 524